Honeywell

Interactive Catalog Supplements Catalog PDFs

If you need detailed product information, or help choosing the right product for your application, see our Interactive Catalog. Use the Interactive Catalog to access the most complete and up-to-date information available.

The Interactive Catalog provides an extensive collection of product specifications, application data, and technical literature that can be searched based on criteria you select.

This PDF catalog information was published in November 2000.



Click this icon to try the Interactive Catalog.

Sensing and Control
Honeywell Inc.
11 West Spring Street
Freeport, IL 61032


Buttons/Lens for Switches and Indicators

AML51 PUSHBUTTON ORDER GUIDE (All possible color combinations may not be available.)


For Incandescent or non-lighted display switches and pushbutton style indicators.

AML51-C | **10** | **R** | **—**


For AML11, 21, 31 switches and AML41 indicators: Pushbutton Style




AML51-C




AML51-F




AML51-G




AML51-A




AML51-H




AML51-N†




AML51-B*



AML51-E*




AML51-M*



AML51-R*

For AML41D indicators only:



AML51-D

* Available with transmitted color (10 or 20) only.
**** Insert is clear for projected color when ''W'' is used.

Display Legend/Type

Transmitted Color
10 No legend
20 With legend on cap.

Transmitted Color (Clear cap and color insert)
11 No legend
21 With legend on insert

Dead Front (Smoky gray cap and color insert)
30 No legend
40 With legend on insert

******Projected Color** (White cap and color insert)
50 No legend
60 With legend on cap

Full Color or 1st Color Split

R Red
Y Yellow
G Green
B Blue
W**** White
K*** Black
L*** Gray
A** Amber

2nd Color Split

R Red
Y Yellow
G Green
B Blue
W**** White
K*** Black
L*** Gray
A** Amber

Example: **AML51-C10R**
Square full color button; with transmitted color, no legend; red.


** Available with transmitted color and dead front only.
*** Black and gray not recommended for lighted display.
† AML51-N buttons not available with Display/Legend Types 10 and 20.
Note: Dimensions include the .060 in bezel.

AML51 LENS ORDER GUIDE (All possible color combinations may not be available.)


For incandescent display AML41J, K, and L lens style indicators only.

AML51-J | **10** | **R**


Lens style



AML51-J



AML51-K



AML51-L

Display/Legend Type

Transmitted Color
10 No legend
20 With legend

Transmitted Color (Clear cap and color insert)
11 No legend
21 With legend

Dead Front (Smoky gray cap and color insert)
30 No legend
40 With legend

******Projected Color** (White cap and color insert)
50 No legend
60 With legend

Full Color or 1st Color Split	2nd Color Split	3rd Color Split
R Red	**R** Red	**R** Red
Y Yellow	**Y** Yellow	**Y** Yellow
G Green	**G** Green	**G** Green
B Blue	**B** Blue	**B** Blue
W**** White	**W****** White	**W****** White
A** Amber	**A**** Amber	**A**** Amber

** Not available with projected color.
**** Insert is clear for projected color when ''W'' is used.

AML51 lens buttons provide added display area by snapping onto and covering the bezel of AML41J, K, and L indicators. They do not fit other indicators or switches.

Example: **AML51-J10R**
Rectangular lens type button; full color; transmitted color, no legend; red.

HOW TO ORDER BUTTON LEGENDS

When specifying legended buttons, submit a legend order sheet to cover each listing. To insure proper legend orientation, AML housings (when viewed from the panel front) should have the ''MICRO SWITCH'' identification facing UP on square devices and UP or to the LEFT on rectangular.



Button legend order sheets are shown on the following pages. Reproduce them on your office copier.

Legend Sheet	Form No.
AML51 Pushbuttons	FO-63394
AML51 Lens buttons	FO-63395
AML52 Pushbuttons	FO-63504
AML53 Paddle switch covers	FO-63567
AML55 Paddle switch covers	FO-63565
AML54 Rockers	FO-63566
AML56 Rockers	FO-63564

Buttons for Switches and Indicators

AML52 BUTTON ORDER GUIDE (All possible color combinations may not be available.)
For AML12, AML22 (w/o light pipe), AML32, AML42 LED display.

AML52-N | **10** | **R**

Button Type	Display/Legend Type	Button Color
For LED Devices **AML52-C**  **AML52-A*** 	**Transmitted Color** **10** No Legend **20** With Legend	**R** Red **Y** Yellow **G** Green **B** Blue **W** White **K** Black **A** Amber **L** Gray
For AML32 Neon Devices **AML52-N** 		

Examples:

AML52-N10R
Rectangular full screen; for use on neon power switch with transmitted color, no legend; red button.

AML52-C10K
Square full screen; for use with LED device; transmitted color, no legend; black button.

Honeywell

AML 52/57 Pushbutton Legend Sheet/Product Specification for L.E.D. & Neon Button

Page ____ of _____

Account No _____

Catalog Listing AML52 –		
Customer P.O. No.	Customer Dwg. No.	
MICRO SWITCH Sales Order	Line Number	Schedule No.

Customer: _____

Address: _____

(city) (state)

LEGEND ORDER GUIDE

Button: Type Orientation	Figure NO	Max Lines 5/64	7/64	9/64	13/64	5/16	Max Characters 5/64	7/64	9/64	13/64	5/16
C	1	3	2	1	1	1	7	5	5	3	1
C	2	3	2	1	1	1	7	5	5	3	1
N	3	1	1	0	0	0	12	10	0	0	0
N	4	1	1	0	0	0	12	10	0	0	0
A	5	3	2	1	1	1	7	5	4	3	1
A	6	3	2	1	1	1	7	5	4	3	1

Instructions

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

Note

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.

Standard Legend Placement

1. Transmitted Color — Legend on outer shell (Button)
2. Figures 3 and 4 not applicable for AML57 listings

LEGEND ORDER CHART

Customer Part NO	Fig NO	Type Size 5/64	7/64	9/64	13/64	5/16	Ink Color Black	White	Button Qty	Legend Description Sequence: Left-to-Right or Top-to=Bottom 1st Line	2nd Line	3rd Line

Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3
Modified Gothic

.	,	:	;	!	?	'	_	"	/	(	)	*	&
$	¢	#	%	º	+	-	±	÷	x	=	≠	>	<
→	↑	↓	←	C_R	1/4	1/2	3/4	1/3	2/3	@	∞		

SPECIAL LEGENDS

NOTE: Use this area to show special Legend Locations or Configurations NOT shown above. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A" Fig. "B"

Sheet Prepared By: _____ _____
(Signature) (Date)

FO-63504-D

Honeywell

AML Pushbutton Legend Sheet/Product Specification

Account NO 126 - 284

Page____of_____

LEGEND ORDER GUIDE

Button: Type Orientation	Figure NO	Max Lines/Area 5/64	7/64	9/64	13/64	5/16	Button Filler	Max Characters/Line 5/64	7/64	9/64	13/64	5/16
AREA 1 A*B P,R	1	4 *3	3 *2	3 *2	2 *1	1 *1		7 *5	5 *4	5 *3	3 *2	1 *1
AREA 1 C	2	4 3	3 2	3 2	2 1	1 1		7 5	5 4	5 3	3 2	1 1
AREA 1 2 D	3	1 1	1 1	1 1	0 0	0 0		7 5	5 4	5 3	0 0	0 0
AREA 1 E,H*	4	4 *3	3 *2	3 *2	2 *1	1 *1		11 *10	9 *8	8 *7	5 *5	3 *3
AREA 1 E,H*	5	6 *6	4 *4	4 *4	3 *3	2 *2		7 *5	5 *4	5 *3	3 *2	1 *1
AREA 1 F	6	4 3	3 2	3 2	2 1	1 1		11 10	9 8	8 7	5 5	3 3
AREA 1 F	7	6 6	4 4	4 4	3 3	2 2		7 5	5 4	5 3	3 2	1 1
AREA 1 2 G,N	8	1 1	1 1	1 1	0 0	0 0		11 10	9 8	8 7	0 0	0 0
AREA 1 M	9	5 0	4 0	3 0	2 0	1 0		8 0	6 0	6 0	3 0	1 0

Catalog Listing
AML51 –

Customer P.O. No. | Customer Dwg. No.

MICRO SWITCH Sales Order | Line Number | Schedule No.

Customer: _____

Address: _____
(city) (state)

Instructions

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, Type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

Note

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.
3. * INSERT ONLY ON STYLE A & H BUTTON

Definitions of Markings



Thru holes to snap into indicator housings

Internal reliefs to snap over switch plunger tabs

Standard Legend Placement –
Use special legends sec. for other placements

1. Transmitted Color — Legend on outer shell (Button)
2. Dead Front - Legend on Insert
3. Projected Color - Legend on outer shell (Button)
4. Transmitted color with clear cap legend on insert

Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3
Modified Gothic

STANDARD SYMBOLS AVAILABLE

.	,	:	;	!	?	'	_	"	/	(	)	*	&
$	¢	#	%	°	+	-	±	÷	x	=	≠	>	<
→	↑	↓	←	C_R	1/4	1/2	3/4	1/3	2/3	@	∞		

SPECIAL LEGENDS

NOTE: Use this area to show special Legend Locations or Configurations NOT shown to the left. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A" | Fig. "B"

LEGEND ORDER CHART

Customer Part No	Fig No	Type Size 5/64	7/64	9/64	13/64	5/16	Ink Color Black	White	Button Qty	AREA	1st Line	2nd Line	3rd Line	4th Line	5th Line	6th Line
										1						
										2						
										1						
										2						
										1						
										2						
										1						
										2						
										1						
										2						

Sheet prepared by:

_____
(Signature)

_____
(Date)

FO-63394-K

Manuals

Honeywell

AML Lens Legend Sheet/Product Specification

Page ____ of _____

Account No _____

LEGEND ORDER GUIDE

Button: Type Orientation	Figure No	Max Lines 5/64	7/64	9/64	13/64	5/16	Button Filter	Max Characters 5/64	7/64	9/64	13/64	5/16
AREA [1] J	1	4/4	3/3	3/3	2/2	1/1		14/13	11/10	10/9	7/6	3/3
AREA [1][2] K	2	4/4	3/3	3/3	2/2	1/1		6/5	6/5	6/5	3/3	1/1
AREA [1][2][3] L	3	4/4	3/3	3/3	2/2	1/1		4/3	3/3	3/3	2/1	1/1
AREA [1] J	4	4/4	3/3	3/3	3/3	2/2		9/8	7/6	7/6	4/3	2/2
AREA [1 / 2] K	5	3/3	2/2	2/2	1/1	1/1		8/7	7/6	7/6	4/3	2/2
AREA [1 / 2 / 3] L	6	2/2	1/1	1/1	1/1	0/0		8/7	7/6	7/6	4/3	0/0

Standard Legend Placement

1. Transmitted Color — Legend on outer shell (Button)
2. Dead Front - Legend on Insert
3. Projected Color - Legend on outer shell (Button)

Catalog Listing AML51 –		
Customer P.O. No.	Customer Dwg. No.	
MICRO SWITCH Sales Order	Line Number	Schedule No.

Customer: _____

Address: _____
(city) (state)

Instructions

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

Note

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.

LEGEND ORDER CHART

Customer Part No	Fig No	Type Size 5/64	7/64	9/64	13/64	5/16	Ink Color Black	White	Button Qty	AREA	Legend Description Sequence: Left-to-Right or Top-to=Bottom 1st Line	2nd Line	3rd Line	4th Line
										1				
										2				
										3				
										1				
										2				
										3				
										1				
										2				
										3				
										1				
										2				
										3				

Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3
Modified Gothic

.	,	:	;	!	?	'	_	"	/	(	)	*	&	
$	¢	#	%	°	+	-	±	÷	x	=	≠	>	<	
→	↑	↓	←	C_R	1/4	1/2	3/4	1/3	2/3	@	∞			

SPECIAL LEGENDS


NOTE: Use this area to show special Legend Locations or Configurations NOT shown above. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A" | Fig. "B"

FO-63395-E

Sheet Prepared By: _____ _____
(Signature) (Date)

Covers for Paddle Switches



Colored covers simply snap into the top of paddle switch housings.

COLOR DISPLAY OPTIONS

Transmitted color — Color is displayed whether lamp is On or Off. Choice of 1-piece covers (types 10 or 20) or covers with clear cap and colored translucent insert (types 11 or 12).



Dead front hidden color/hidden legend — Cover appears black with lamp Off. Legend and color appear when illuminated (types 30 or 40).

Projected color — Translucent white cover with transparent colored insert (types 50 or 60). White cover appears colored when illuminated.

AML53 PADDLE SWITCH COVER ORDER GUIDE (All possible color combinations may not be available.)

For AML13, AML23, and AML33 incandescent or non-lighted display.

AML53-T | **10** | **R** | **G**

Paddle Switch Cover Type	Display/Legend Type	Cover Color	
		½ cover, or one side of two-piece cover	Other side of two-piece cover (see note)
 **AML53-E** ½ Cover	**Transmitted Color** **10** No legend **20** With legend on cap **Transmitted Color** (Clear cap and color insert) **11** No legend **21** With legend on insert **Dead Front** (Smoky gray cap and color insert) **30** No legend **40** With legend on insert ***Projected Color** (White cap and color insert) **50** No legend **60** With legend on cap	**R** Red **Y** Yellow **G** Green **B** Blue ***W** White **K*** Black **L*** Gray **A**** Amber	**R** Red **Y** Yellow **G** Green **B** Blue ***W** White **K*** Black **L*** Gray **A**** Amber
 **AML53-T** Two-Piece Cover			

Note: Only one color code letter is necessary when ordering ½ covers.


Example: **AML53-T10RG**
Two-piece cover; with transmitted color, no legend; red and green.

* Not for lighted display.
** Not available with projected color.
*** Insert is clear for projected color when ''W'' is used.

AML55 PADDLE SWITCH COVER ORDER GUIDE (All possible color combinations may not be available.)

For AML35 neon display.

AML55-N | **10** | **R** | **Y**

Paddle Switch Cover Type	Display/Legend Type	Lens Color	Cover Color
 **AML55-N** Full Neon Cover, with colored lens	**Transmitted Color** **10** No Legend **20** With Legend	**T** Clear **R** Red	**R** Red **Y** Yellow **G** Green **B** Blue **W** White **K** Black **L** Gray

AML55-N covers have a colored lenticular lens window which extends over the neon lamp.

Example: **AML55-N10RY**
Full neon paddle switch cover; with transmitted color, no legend; red lens and yellow cover.




Manuals

Covers for Paddle Switches

AML55 PADDLE SWITCH COVER ORDER GUIDE (All possible color combinations may not be available.)

For AML15 and AML25 LED display. See notes below

AML55-T **10** **Y** **R**

Paddle Switch Cover Type	Display/Legend Type	Cover Color – See notes below	
		1/2-cover, or LED side of two-piece covers*	Other side of two piece covers
AML55-E  1/2 Cover (For one LED)*	**Transmitted Color** **10** No Legend **20** With Legend	**R** Red **Y** Yellow **G** Green **B** Blue **W** White **K** Black **L** Gray	**R** Red **Y** Yellow **G** Green **B** Blue **W** White **K** Black **L** Gray
AML55-T  Two-Piece Cover (For one LED)			
AML55-H  Two-Piece Cover (For two LED's)			

AML55-E, -T, and -H covers have an open window which allows LED's to be flush with the cover surface.

* Notes:

[1] Only one color code letter is necessary for AML55-E 1/2 covers.

[2] To order a 1/2-cover without the LED ''window,'' specify an AML53-E listing from the previous page.

Example: **AML55-T10YR**
Two-piece cover; with LED window in one side, transmitted color, no legend; yellow (LED side) and red (non-LED side).

HOW TO ORDER LEGENDS FOR PADDLE SWITCH COVERS

When specifying legended paddle switch covers, submit a legend order sheet to cover each catalog listing. These forms identify the maximum number of lines per area and the maximum characters per line, based on the type size you request.

To insure proper legend orientation, paddle switch housings (when viewed from the panel front) should have the ''MICRO SWITCH'' identification facing UP or to the LEFT.

Legend order sheets for covers are shown on the following pages. Reproduce them on your office copier or request a pad of them from the 800 number:

Legend Sheet	**Form No.**
AML53 Covers	FO-63567
AML55 Covers	FO-63565

Honeywell

AML Paddle Operator (Cover) Legend Sheet/Product Specification

Page ____ of _____

Account NO 126 - 284

LEGEND ORDER GUIDE

Button: Type Orientation	Figure No	Max Lines/Area 5/64	7/64	9/64	13/64	5/16	Button Filter	Max Characters/Line 5/64	7/64	9/64	13/64	5/16
AREA 1 E	1	2/1	2/1	2/1	1/1	1/0		7/5	5/4	5/4	3/2	1/0
AREA 1 E	2	2/1	2/1	2/1	1/1	1/0		7/5	5/4	5/4	3/2	1/0
AREA 1 2 T	3	2/1	2/1	2/1	1/1	1/0		7/5	5/4	5/4	3/2	1/0

Standard Legend Placement – Use Special Legends Section for other placements.

1. Transmitted Color—Legend on outer shell (Button
2. Dead Front—Legend on insert
3. Projected Color - Legend on outer shell (Button)
4. Transmitted color with color with clear cap legend on insert.
5. All legends will be centered within the legendable areas.

LEGEND ORDER CHART

Customer Part No	Fig No	Type Size 5/64	7/64	9/64	13/64	5/16	Ink Color Black	White	Button Qty	Area 1 1st Line	Area 1 2nd Line	Area 2 1st Line	Area 2 2nd Line
										Sequence: Left-to-Right or Top-to=Bottom			

FO-63567-F

(Signature) (Date)

Catalog Listing
AML53 –

Customer P.O. No.	Customer Dwg. No.	
MICRO SWITCH Sales Order	Line Number	Schedule No.

Customer: _____

Address: _____

(city) (state)

Instructions

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, Type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

Note

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.

Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3
Modified Gothic

STANDARD SYMBOLS AVAILABLE

.	,	:	;	!	?	'	_	"	/	(	)	*	&
$	¢	#	%	°	+	-	±	÷	x	=	≠	>	<
→	↑	↓	←	C_R	1/4	1/2	3/4	1/3	2/3	@	∞		

SPECIAL LEGENDS

NOTE: Use this area to show special Legend Locations or Configurations NOT shown above. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A" Fig. "B"

Manuals

Honeywell

AML Paddle (Cover) Legend Sheet For LED and Neon Style/Product Specification

Page____of _____

Account NO 126-284

Legend Order Guide

Cover Type Orientation	Figure No	Max Lines/Area 5/64	7/64	9/64	13/64	5/16		Max Characters/Line 5/64	7/64	9/64	13/64	5/16
E	1	1	1	1	0	0		7	5	5	0	0
E	2	1	1	1	0	0		7	5	5	0	0
Side 1 / Side 2 H	3	1 / 1	1 / 1	1 / 1	0 / 0	0 / 0	Side 1 / Side 2	7 / 7	5 / 5	5 / 5	0 / 0	0 / 0
Side 2 N	4	/ 2	/ 2	/ 2	/ 1	/ 1	Side 2 / Side 1	/ 7	/ 5	/ 5	/ 3	/ 1
Side 1 / Side 2 T	5	1 / 2	1 / 2	1 / 2	0 / 1	0 / 1	Side 1 / Side 2	7 / 7	5 / 5	5 / 5	0 / 3	0 / 1
		/	/	/	/	/		/	/	/	/	/
		/	/	/	/	/		/	/	/	/	/
		/	/	/	/	/		/	/	/	/	/
		/	/	/	/	/		/	/	/	/	/

Catalog Listing **AML55 –**

Customer P.O. No.	Customer Dwg. No.	Schedule No.
MICRO SWITCH Sales Order	Line Number	

Customer: _____

Address: _____

_____
(city) (state)

Instructions

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, Type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

Note

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.

Standard Legend Placement – Use Special Legends Section for other placements.

1. All Legends will be centered within the legendable areas

LEGEND ORDER CHART

Customer Part No	Fig No	Type Size 5/64	7/64	9/64	13/64	5/16	Ink Color Black	White	Button Qty	Area 1 Sequence: Left-to-Right or Top-to-Bottom 1st Line	2nd Line	Area 2 1st Line	2nd Line

FO-63565-C

_____ _____
(Signature) (Date)

SPECIAL LEGENDS

NOTE: Use this area to show special Legend Locations or Configurations NOT shown below. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A"	Fig. "B"


Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3
Modified Gothic

STANDARD SYMBOLS AVAILABLE

.	,	:	;	!	?	'	_	"	/	(	)	*	&
$	¢	#	%	°	+	-	±	÷	x	=	≠	>	<
→	↑	↓	←	CR	1/4	1/2	3/4	1/3	2/3	@	∞		

COLOR DISPLAY OPTIONS



Rocker operators are assembled to the switches by simply snapping them into recesses in the switch operator sockets.

Transmitted color — Color is displayed whether lamp is On or Off. Choice of 1-piece rockers (types 10 or 20) or rockers with clear cap and colored translucent insert (types 11 or 12).


Dead front hidden color/hidden legend — Rocker appears black with lamp Off. Legend and color appear when illuminated (types 30 or 40).

Projected color — Translucent white rocker with transparent colored insert (types 50 or 60). White rocker appears colored when illuminated.

AML54 ROCKER OPERATOR ORDER GUIDE (All possible color combinations may not be available.)

For AML14, AML24, AML34 incandescent or non-lighted display.

AML54-F **10** **R**

Rocker Operator Type	Display/Legend Type	Rocker Color – See Note Below	
		Full rocker, 1/2 rocker, or one side of two-piece rockers	Other side of two-piece rockers
AML54-F  Full Rocker **AML54-E**  1/2 Rocker **AML54-T**  Two-Piece Rocker	**Transmitted Color** **10** No legend **20** With legend on cap **Transmitted Color** (Clear cap and color insert) † **11** No legend **21** With legend on insert **Dead Front †** (Smoky gray cap and color insert) **30** No legend **40** With legend on insert ***Projected Color †** (White cap and color insert) **50** No legend **60** With legend on cap	**R** Red **Y** Yellow **G** Green **B** Blue ***W** White **K*** Black **L*** Gray **A**** Amber	**R** Red **Y** Yellow **G** Green **B** Blue ***W** White **K*** Black **L*** Gray **A**** Amber

* Not for lighted display.
** Not available with projected color or dead front.
*** Insert is clear for projected color when "W" is used.
† Not available for use with AML34 power switches.


NOTE: AML54-F10 and AML54-F20 are one-piece, one-color full rockers. Thus only one color code letter is necessary when ordering. Include a two letter code for all other AML54-E (and AML54-T) catalog listings.

Example: **AML54-F10R**
Full rocker; with transmitted color, no legend; red.

AML56 ROCKER OPERATOR ORDER GUIDE

For AML36 neon display.

AML56-N **10** **R** **Y**

Rocker Operator Type	Display/Legend Type	Lens Color	Rocker Color
AML56-N  Full Rocker with Colored Lens	**Transmitted Color** **10** No Legend **20** With Legend	**T** Clear **R** Red **Y** Yellow	**R** Red **Y** Yellow **G** Green **B** Blue **W** White **K** Black

AML56-N rockers have a colored lenticular lens window which extends over the neon lamp.

Example: **AML56-N10RY**
Full rocker; with transmitted color, no legend; yellow rocker and red lens.



Manuals

Rocker Switch Operators

AML56 ORDER GUIDE

For AML16 and AML26 LED display.

AML56-T	10	R	B

Rocker Operator Type	Display/Legend Type	Rocker Color – See Notes Below	
		1/2-rocker or LED side of two-piece rockers	Other side of two piece rockers
AML56-E  1/2-Rocker* (For one LED)	**Transmitted Color** **10** No Legend **20** With Legend	**R** Red **Y** Yellow **G** Green **B** Blue **W** White **K** Black **L** Gray	**R** Red **Y** Yellow **G** Green **B** Blue **W** White **K** Black **L** Gray
AML56-T  Two-Piece Rocker (For one LED)			
AML56-H  Two-Piece Rocker (For two LED's)			

Example: **AML56-T10RB**
Two-piece rocker; with LED window in one side, transmitted color, no legend; red (LED side) and blue (non-LED side).

* Notes:

[1] Only one color code letter is necessary for AML56-E 1/2-rockers. AML56-E, -T, and -H rockers have an open window which allows LEDs to be flush with the rocker surface.

[2] To order a 1/2-rocker without the LED ''window,'' specify an AML54-E listing from the previous page.

HOW TO ORDER ROCKER LEGENDS

When specifying legended rockers, submit a legend order sheet to cover each catalog listing. These forms identify the maximum number of lines per area and the maximum characters per line, based on the type size you request. To insure proper legend orientation, rocker switch housings (when viewed from the panel front) should have the ''MICRO SWITCH'' identification facing UP or to the LEFT.

Rocker legend order sheets are shown on the following pages. Reproduce them on your office copier.

Legend Sheet	Form No.
AML54 Rockers	FO-63566
AML56 Rockers	FO-63564

Honeywell

AML Rocker Legend Sheet/Product Specification

Page ____ of _____

Account NO 126-284

Legend Order Guide

Button Type Orientation	Figure No	Max Lines/Area 5/64	7/64	9/64	13/64	5/16	Button Filter	Max Characters/Line 5/64	7/64	9/64	13/64	5/16
AREA 1 E	1	2/2	2/2	2/1	1/1	1/0		7/5	5/4	5/4	3/2	1/0
AREA 1 E	2	2/2	2/2	2/1	1/1	1/0		7/5	5/4	5/4	3/2	1/0
AREA 1 2 F	3	2/2	2/2	2/1	1/1	1/0		7/5	5/4	5/4	3/2	1/0
AREA 1 2 T	4	2/2	2/2	2/1	1/1	1/0		7/5	5/4	5/4	3/2	1/0

Catalog Listing
AML54 –

Customer P.O. No.		Customer Dwg. No.
MICRO SWITCH Sales Order	Line Number	Schedule No.

Customer: _____

Address: _____

(city) (state)

Instructions

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, Type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

Note

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.

Standard Legend Placement – Use Special Legends Section for other placements.

*NOT AVAILABLE WITH AML 34 SERIES

1. Transmitted Color—Legend on outer shell (Button
*2. Dead Front—Legend on insert
*3. Projected Color - Legend on outer shell (Button)
*4. Transmitted color with clear cap legend on insert.
5. All legends will be centered within the legendable areas.

SPECIAL LEGENDS

NOTE: Use this area to show special Legend Locations or Configurations NOT shown below. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A" Fig. "B"

LEGEND ORDER CHART

Customer Part No	Fig No	Type Size 5/64	7/64	9/64	13/64	5/16	Ink Color Black	White	Button Qty	Area 1 Sequence: Left-to-Right or Top-to=Bottom 1st Line	2nd Line	Area 2 1st Line	2nd Line

Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3 Modified Gothic

STANDARD SYMBOLS AVAILABLE

.	,	:	;	!	?	'	_	"	/	(	)	*	&
$	¢	#	%	°	+	-	±	÷	x	=	≠	>	<
→	↑	↓	←	C_R	1/4	1/2	3/4	1/3	2/3	@	∞		

FO-63566-F

(Signature) (Date)

Honeywell

AML Rocker Legend Sheet/Product Specification

Page____of_____

Account NO 126-284

Legend Order Guide

Button Type Orientation	Figure No	Max Lines/Area 5/64	7/64	9/64	13/64	5/16		Max Characters/Line 5/64	7/64	9/64	13/64	5/16
AREA 1 E	1	1	1	1	0	0		7	5	5	3	0
AREA 1 E	2	1	1	1	0	0		7	5	5	3	0
AREA 1 / AREA 2 H	3	1 / 1	1 / 1	1 / 1	0 / 0	0 / 0	AREA 1 / AREA 2	7 / 7	5 / 5	5 / 5	3 / 3	0 / 0
AREA 2 N	4	2	2	2	1	1	AREA 2	7	5	5	3	1
AREA 1 / AREA 2 T	5	1 / 2	1 / 2	1 / 2	1 / 1	0 / 1	AREA 1 / AREA 2	7 / 7	5 / 5	5 / 5	3 / 3	0 / 1

Standard Legend Placement – 1. All legends will be centered within the legendable areas.
Use Special Legends Section for other placements.

Catalog Listing
AML56 –

Customer P.O. No.		Customer Dwg. No.
MICRO SWITCH Sales Order	Line Number	Schedule No.

Customer: _____

Address: _____

(city) (state)

Instructions

1. Fill in appropriate catalog listing - one listing/sheet.
2. Check proper figure #. Type size, Type color.
3. Fill in quantity required.
4. Indicate legends desired — Do not exceed maximums shown in legend order guide.

Note

1. For Proper Legend Orientation, AML housings (when viewed from front of panel) should have "MICRO SWITCH" logo oriented "UP" on square devices and "UP" or to the"LEFT" on rectangular devices.
2. Please use black ink in filling out this form to help us process your order.

SPECIAL LEGENDS

NOTE: Use this area to show special Legend Locations or Configurations NOT shown below. NON-STANDARD legends will involve additional charges and increased delivery time.

Fig. "A" Fig. "B"

LEGEND ORDER CHART

Customer Part No	Fig No	Type Size 5/64	7/64	9/64	13/64	5/16	Ink Color Black	White	Button Qty	Area 1 Sequence: Left-to-Right or Top-to=Bottom 1st Line	2nd Line	Area 2 1st Line	2nd Line

FO-88564-E

(Signature) (Date)

Modified Gothic lettering (A thru Z). numerals (0 thru 9) and Symbols below available in 5/64, 7/64, 9/64, 13/64 and 5/16.

A3
Modified Gothic

STANDARD SYMBOLS AVAILABLE

.	,	:	;	!	?	'	_	"	/	(	)	*	&	
$	¢	#	%	°	+	-	±	÷	x	=	≠	>	<	
→	↑	↓	←	CR	1/4	1/2	3/4	1/3	2/3	@	∞			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Honeywell:

AML51-A10G AML51-A10W AML51-F10B AML51-F10K AML51-F20R AML51-G20WW AML51-G20YG AML53-E103 AML53-E200 AML53-E300R AML54-E204 AML54-F10B AML54-F234 AML54-F245 AML51-C40A-001 AML51-C40W-001 AML51-C40W-002 AML51-G40AW-001 AML51-H50B AML56-H20WW AML56-T20GR AML51-C10L AML51-C10B AML51-C10K AML51-F10W AML51-F20G AML54-T10RG AML55-H10GR AML56-H20K AML56-H20KK AML56-H20RG AML56-N10RG AML56-N10RW AML56-N10RY AML56-N10TG AML56-N10TK AML56-N10TR AML56-N10TW AML56-N10TY AML56-N10YK AML56-N10YW AML56-N10YY AML56-N20RG AML56-N20RK AML56-N20RW AML56-N20YB AML56-T10BB AML56-T10GG AML56-T10GR AML56-T10KK AML56-T10LL AML56-T10RG AML56-T10RK AML56-T10RR AML56-T10RW AML56-T10WR AML56-T10WW AML56-T10YK AML56-T10YY AML56-H20BB AML53-E400G